

SELECT SET: MORE THAN A BOX



49

CAT

A C

PELIC



SINGLE LID CASES



BLACK BOX RACKMOUNT CASES

Transport and protect your equipment in our Single Lid Cases. These cases are lightweight, shockproof, watertight, dustproof, heat, and chemical-resistant, which make them extremely tough and offer ultimate protection that will move your equipment from point A to point B without a scratch.

THE LINE UP:



SPECIALTY PRODUCTS

Our specialty products are well engineered portable workspace solutions. They range from portable desks that set up in minutes to storage chests with metal drawers and dividers to keep all your supplies safe and organized. Whatever your need, whatever the environment, we have a durable solution.

BLACK BOX **RACKMOUNT CASES**

These lightweight, compact, and double ended cases offer light to medium duty protection and boast significantly better light duty shock performance than the



competition. The use of recycled materials in the shell and a sturdy steel frame offer great value while upholding Pelican's industry-leading standards. When you need to be cost-conscious but can't sacrifice performance, a BlackBox is the answer.



VERSAFILL TOTE

The new Pelican-Hardigg[™] VersaFill tote is ideal for warehouse and manufacturing floors. These sturdy containers are designed for the storing and transport of items such as plastic pellets and other bulk components. Pelican-Hardigg's VersaFill totes are virtually indestructible and reusable for all your bulk material handling needs.

VersaFill totes can be easily moved with

a pallet jack or forklift and are stackable with lid in place for efficient storage. Optional liner creates a smooth surface for easy removal of fine-grained items. You can now store and transport bulk items safely, securely and worry-free.

472 CASES

High density custom foam inserts protect your firearms during transport and harsh outdoor conditions. Multitude of cases with pre-configured foam inserts designed to carry a variety of military and law enforcement weapon systems.

SINGLE LID CASES







472-PWC-M24A2-BLK

51

CASES

472

SET -

SELECT

—

CATALOG

PELICAN CASE



472-PWC-M240B-OD



472-PWC-M24-BLK



_			
SHOTGUN			
CATALOG NUMBER	EXTERIOR DIMENSIONS INTERIOR DIMENSIONS	DESCRIPTION	COLORS
472-PWC-R870	47.20" x 16.50" x 6.70" 44.00" x 14.00" x 6.00"	Securely packs one or two R870 shotguns in iM3200.	
SNIPER RIFLES			
CATALOG NUMBER	EXTERIOR DIMENSIONS INTERIOR DIMENSIONS	DESCRIPTION	COLORS
472-PWC-M24A2	53.80" x 16.50" x 6.70" 50.50" x 14.00" x 6.00"	Securely packs an M24A2 rifle with scope and accessories in iM3300.	
MACHINE GUNS			
CATALOG NUMBER	EXTERIOR DIMENSIONS INTERIOR DIMENSIONS	DESCRIPTION	COLORS
472-PWC-M240B	53.80" x 16.50" x 6.70" 50.50" x 14.00" x 6.00"	Safely secures one M240B with room for accessories. Also will hold the M240G with its Infantry Modification Kit in iM3300.	
472-PWC-M249	53.80" x 16.50" x 6.70" 50.50" x 14.00" x 6.00"	Securely packs one M249 with room for accessories including an M9 Pistol in iM3300.	
472-PWC-M24	47.20" x 16.50" x 9.20" 44.00" x 14.00" x 8.50"	Securely transports one M24 rifle with room for a night vision scope, M9 pistol and four extra magazins in a iM3300.	
SOFT BAGS/CASE SET			
CATALOG NUMBER	EXTERIOR DIMENSIONS INTERIOR DIMENSIONS	DESCRIPTION	COLORS
472-PWC-DW3100	39.80" x 16.50" x 6.70" 36.50" x 14.00" x 6.00"	Accompanying a iM3100 is a light weight soft-shelled padded rifle case.	
472-PWC-DW3200	47.20" x 16.50" x 6.70" 44.00" x 14.00" x 6.00"	Accompanying a iM3200 is a light weight soft-shelled padded rifle case.	
472-PWC-DW3300	53.80" x 16.50" x 6.70" 50.50" x 14.00" x 6.00"	Accompanying a iM3300 is a light weight soft-shelled padded rifle case.	
472-PWC-DW3220	47.20" x 16.50" x 9.20" 44.00" x 14.00" x 8.50"	Accompanying a iM3220 is a light weight soft-shelled padded rifle case.	

PISTOLS

CATALOG NUMBER

472-PPWC-CPC

472-PWC-M9

472-PWC-M9-2

472-PWC-M9-12

472-PWC-M9-20

SUBMACHINE GUNS CATALOG NUMBER

472-PWC-MP5

ASSAULT RIFLES

CATALOG NUMBER

472-PWC-M4

472-PWC-M4-SF

472-PWC-M16-3200

472-PWC-M16

472-PWC-SCAR

472-M4-M16-4

472-M4-M16-6

472-M4-M16-8

472-M4-M16-12

472-PWC-DW3100 - BLKCOY

	EXTERIOR DIMENSIONS INTERIOR DIMENSIONS	DESCRIPTION	COLORS
	11.64 X 8.34 X 3.78 10.54 X 6.04 X 3.16	Securely transports 1 compact firearm with room for one magazine in a 1170.	
	11.80" x 9.80" x 4.70" 9.50" x 7.50" x 4.25"	Securely protects one M9 Pistol with room for magazines and accessories in iM2050.	
	16.20" x 12.70" x 6.60" 15.00" x 10.50" x 6.00"	Secures up to four M9s, 1911 Pistols or other tactical handguns with room for four additional magazines in iM2200.	
	31.30" x 20.40" x 12.20" 29.00" x 18.00" x 10.50"	Securely transports twelve M9 or 1911 Pistols plus twelve magazines in iM2950.	
	31.30" x 20.40" x 12.20" 29.00" x 18.00" x 10.50"	Securely transports twenty M9 or 1911 Pistols along with twenty extra magazines in iM2950.	
5			
	EXTERIOR DIMENSIONS INTERIOR DIMENSIONS	DESCRIPTION	COLORS
	39.80" x 16.50" x 6.70" 36.50" x 14.00" x 6.00"	Securely transports one MP5 gun and includes cavities for accessories and magazines in iM3100.	
	EXTERIOR DIMENSIONS INTERIOR DIMENSIONS	DESCRIPTION	COLORS
	39.80" x 16.50" x 6.70" 36.50" x 14.00" x 6.00"	Protects one M4 with or without M203 attached plus seven thirty-round magazines and one M9 Pistol with two spare magazines in iM3100.	
	47.20" x 16.50" x 6.70" 44.00" x 14.00" x 6.00"	Specifically designed for the Special Forces to fit one M4 with SOPMOD accessories, including one extra short barreled M4 upper and one M9 Pistol with tactical light in iM3200.	
	47.20" x 16.50" x 6.70" 44.00" x 14.00" x 6.00"	Securely transport one M16 rifle and one M4 rifle with room for seven magazines and accessories in iM3200.	
	53.80" x 16.50" x 6.70" 50.50" x 14.00" x 6.00"	Holds one M16 or M4 with or without M203 by quick removal of foam spacers. With plenty of room to spare for seven thirty-round magazines, an M9 Pistol, and accessories in iM3300.	
	53.80" x 16.50" x 6.70" 50.50" x 14.00" x 6.00"	Securely transport one SCAR rifle, space for extra barrel, scope and seven magazines in iM3300.	
	44.80" x 34.00" x 18.50" N/A	Secures with locking bars, four fully equipped M4s or M16s or any combination (two M4s and two M16s). Container can also be used as a lockable rifle rack to keep all weapons safe and secure.	
	45.40" x 24.00" x 18.5" N/A	Security minded storage and transport for a 6 pack of M16s, or any combination of M16s and M4s, impervious to damage, water, dust, salt. Converts into 2 open, locked and secure weapons racks.	
	44.80" x 34.00" x 26.5" N/A	Security minded storage and transport for a 8 pack of M16s, or any combination of M16s and M4s, impervious to damage, water, dust, salt. Converts into 2 open, locked and secure weapons racks.	
	45.40" x 24.00" x 26.5" N/A	Security minded storage and transport for a 12 pack of M16s, or any combination of M16s and M4s, impervious to damage, water, dust, salt. Converts into 2 open, locked and secure weapons racks.	

SINGLE LID CASES

Protect and transport anything from LCD monitors to aircraft parts. One-piece construction molded from lightweight, high-impact polyethylene with patented metal inserts for added strength.

53

TRUNK

- Comfort Grip Handles
- Reinforced corners and edges for additional impact protection
- Molded-in ribs and corrugations for secure, non-slip stacking, columnar strength and added protection
- CATALOG
- AL2624-1
- AL3018-0
- AL3018-1 AL3424-1
- AL3418-1
- AL3424-0
- AL3620-1 AL4024-1
- AL4824-1
- AL4824-1
- AL5424-2

FLAT

- Comfort Grip Handles
- Positive anti-shear interlocks, which prevent lid separation after impact
- Reinforced corners and edges for additional impact protection · Molded-in ribs and corrugations for secure, non-slip stacking, columnar
- strength and added protection
- Recessed hardware for extra protection • Airtight lid gasket and PRV (pressure relief valve)
- CATALOG N
- AL1616-05
- AL2013-09 AL3022-07
- AL5415-10

STANDARD FEATURES

- Positive anti-shear interlocks, which prevent lid separation after impact
- · Recessed hardware for extra protection
- Airtight lid gasket and PRV (pressure relief valve)

OPTIONS

- No foam or 2", 2 lb polyethylene black foam
- Casters or no Casters
- (depending on model)



NUMBER	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	BASE DEPTH	LID DEPTH/TYPE	SPECIAL FEATURES
1205-RP	29.06" x 27.00" x 20.69"	26.06" x 24.00" x 16.93"	11.87"	5.06"/ Hinged Lid	casters left side
0905-RP	32.75" x 20.87" x 16.43"	29.75" x 17.87" x 14.62"	9.37"	5.25"/ Hinged Lid	std edge casters
1505-RP	32.75" x 20.87" x 21.93"	29.75" x 17.87" x 20.12"	14.87"	5.25"/ Hinged Lid	std edge casters
1205-RP	37.25" x 27.18" x 19.44"	34.25" x 24.18" x 17.25"	12.00"	5.25"/ Hinged Lid	std edge casters
1005-RP	37.18" x 20.87" x 17.31"	34.18" x 17.87" x 15.37"	10.12"	5.25"/ Hinged Lid	std edge casters
0805-RP	37.25" x 27.18" x 15.44"	34.25" x 24.18" x 13.25"	8.00"	5.25"/ Hinged Lid	casters left side
1710-RP	38.87" x 22.87" x 29.46"	35.87" x 19.87" x 27.27"	17.12"	10.15"/ Hinged Lid	casters left side
1305-RP	42.87" x 27.31" x 20.19"	39.87" x 24.31" x 18.00"	12.75"	5.25"/ Hinged Lid	std edge casters
1404-RP	51.62" x 27.62" x 21.36"	48.62" x 24.62" x 17.67"	13.80"	3.87"/ Hinged Lid	casters bottom nonstackable
1604-RP	51.62" x 27.62" x 23.36"	48.62" x 24.62" x 19.67"	15.80"	3.87"/ Hinged Lid	casters bottom nonstackable
2306-RP	56.87" x 26.93" x 33.75"	53.87" x 23.93" x 28.87"	22.75"	6.12"/ Hinged Lid	casters bottom nonstackable

STANDARD FEATURES

OPTIONS

- No foam or 2", 2 lb polyethylene black foam
- · Casters or no Casters
- (depending on model)



NUMBER	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	BASE DEPTH	LID DEPTH/TYPE	SPECIAL FEATURES
)505-RP	18.75" x 18.88" x 12.19"	15.75" x 15.88" x 10.54"	5.42"	5.12"/ Hinged Lid	no casters available
903-RP	22.87" x 16.00" x 13.94"	19.87" x 13.00" x 12.25"	9.25"	3.00"/ Hinged Lid	no casters available
705-RP	33.00" x 25.18" x 13.97"	30.00" x 22.18" x 12.18"	7.00"	5.18"/ Hinged Lid	casters bottom nonstackable
026-RP	57.00" x 18.88" x 37.50"	54.00" x 15.88" x 35.40"	10.00"	25.38"/ Removable Lid	standard caster option



CUBE

STANDARD FEATURES

- Comfort Grip Handles

CATALOG NU

AL2624-1805

AL3834-1617

>	> AVAILABLE COLORS FOR TRUNK, FLAT, LONG AND CUBE CASES										
	Gray - 133 Fed Std# 26270		Tan - 250 Fed Std# 20372		Blue – 135(lt) Pantone# 292U		White - 132 Fed Std# 27925		Yellow - 136 Pantone# 012U	Green - 138(forest) Fed Std# 24052	Orange – 134 Fed Std# 12197
	Yellow - 131 Fed Std# 23538		Maroon – 197 Pantone# 202U		Blue - 101(dk) Fed Std# 25052		Black - 032 Fed Std# 27040		Red - 130 Fed Std# 21105	Olive Drab - 137 Fed Std# 34096	Purple – 129 Pantone# 245U

55

CAS Ц

LONG									
STANDARD FEATUR • Comfort Grip Handle • Positive anti-shear in • Reinforced corners a • Molded-in ribs and c strength and added • Recessed hardware t • Airtight lid gasket an	• No po bla • Ca	TIONS o foam or 2", 2 lb lyethylene ack foam asters or no Casters epending on model)							
CATALOG NUMBER	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	BASE DEPTH	LID DEPTH/TYPE	SPECIAL FEATURES				
AL5616-0604-RP	59.43" x 19.25" x 12.76"	56.43" x 16.25" x 10.07"	5.87"	4.20"/ Hinged Lid	no casters available				
AL6912-1003-RP	72.37" x 15.00" x 16.28"	69.37" x 12.00" x 14.09"	10.49"	3.60"/ Hinged Lid	no casters available				

- Positive anti-shear interlocks, which prevent lid separation after impact
- Reinforced corners and edges for additional impact protection
- Molded-in ribs and corrugations for secure, non-slip stacking, columnar
- strength and added protection
- Recessed hardware for extra protection
- Airtight lid gasket and PRV (pressure relief valve)

OPTIONS

- No foam or 2", 2 lb
- polyethylene black foam
- Casters or no Casters
- (depending on model)



JMBER	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	BASE DEPTH	LID DEPTH/TYPE	SPECIAL FEATURES
)5-RP	29.06" x 27.00" x 26.62"	26.06" x 24.00" x 22.87"	17.81"	5.06"/ Hinged Lid	casters left side
I7-RP	41.12" x 37.12" x 38.82"	38.12" x 34.12" x 33.00"	15.75"	17.25"/ Removable Lid	no casters available

Note: Some options are not available on all case sizes and availability is subject to change at manufacturer's discretion. Case colors/options may differ slightly from printed versions.


MOBILE MASTER[™]

STANDARD FEATURES

- Comfort Grip Handles
- Positive anti-shear interlocks, which prevent lid separation after impact
- Reinforced corners and edges for additional impact protection
- Molded-in ribs and corrugations for secure, non-slip stacking, columnar strength and added protection
- Recessed hardware for extra protection

OPTIONS

- No foam or 2", 2 lb
- polyethylene black foam
- Casters or no Casters
- (depending on model)






SPECIALTY PRODUCTS

Erect a command center virtually anywhere. Modular designs allow for multiple configurations constructed with the same quality and strength as our cases.



SPECIALTY PRODUCTS

RACK MOUNT CASES



VERSAFILL[™] TOTE

MISCELLANEOUS

SEE THE FULL LINE OF PRODUCTS AT: PELICAN.COM



VERSAFILL TOTE								
CATALOG NUMBER	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	LINER INCLUDED					
VERSAFILL-E	45.0" x 44.0" x 45.0"	38.70" x 38.70" x 36.60"	No					
VERSAFILL-L	45.0" x 44.0" x 45.0"	38.70" x 38.70" x 36.60"	Yes					

FEATURES

- Virtually Indestructible
- Reusable
- Chemically Inert
- Safe to Ship
- Optional Black Liner
- Manufactured in the USA
- Pallet Jack / Forklift Provisions
- Stackable
- Includes Lid

VersaFill containers are available in black, blue, red, grey, orange, yellow, olive drab and tan



PELI[™] DESICCANT (SILICA GEL)

CAT. NO. 1500D

Peli Desiccant Silica Gel "drinks" dampness, prevents condensation from trapped air when cases are opened in damp, high humidity climates.

- Fits all Pelican Cases
- Size: 2" x 4"



TSA LOCK

CAT. NO. 1506TSA

- Special TSA accepted lock
- TSA personnel can safely lock and unlock
- You can set hundreds
- of combinations
- Fits all Pelican Cases



Color: Black



THE PELICAN[™] FLOAT N

CAT. NO. 100

Marker recovery system. The Pelican Float is a reusable buoy made of structural foamed resin and weighs only 16 oz. Includes over 100 feet of polyethylene 225 lb. test line and a 6 oz. non-drag dispatchable anchor.



PELICAN TOUGH LIGHTING TOOLS

- Safety approved lights for hazardous areas
- Tactical lights for military and law enforcement
- Specialized lights for fire and rescue operations
- Submersible lights for diving
- Headlamps

61



PELICAN LED AREA LIGHTING

- Up to 56 hours of light
- Lightweight
- Battery powered
- Breakthrough LED technology
- Portable
- Rechargeable
- Completely collapsible



PELICAN - HARDIGG[™] SINGLE LID CASES

- Rotational Molding Technology
- Recessed hardware
- Comfort Grip Handles
- Available airtight/watertight designs
- Over 300 sizes
- Built-in skid runners option available on select models
- Mobile Military solutions for Medical, Information Technology, Office, Armory, and Transport Logistics
- Reinforced corners and edges for impact protection



PELICAN - HARDIGG" RACK MOUNT CASES

- Over 140 models from 3U-26U for rack depths of 19"-33" inches (48-83 cm)
- Rotational Molding Technology for secure server transport
- Controls impact forces from 15 Gs to 120 Gs
- Shock mounts isolate vibration and impacts
- Designed to meet ANSI/EIA-310C for universal rack mounting hole pattern
- Removable rack systems for use in the field (select models)



PELICAN-HARDIGG **ADVANCED CASE SOLUTIONS™**

- Mission Critical Custom Cases
- Project evaluation
- Prototype, first articles, and testing
- Complete design and engineered custom solutions
- Manufacturing and Integration



PELICAN LEGENDARY GUARANTEE OF EXCELLENCE

Injection Molded Cases

Pelican Products, Inc. guarantees its products for a lifetime against breakage or defects in workmanship. Pelican[™] injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. Pelican's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the container has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

Roto Molded and Specialty Cases Pelican guarantees its Roto Molded cases for 1 year against defects in materials and workmanship and 90 days on hardware from the proof of purchase. All warranty claims of any nature are barred if the container has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

Refer to www.pelican.com/warranty for full details of Pelican warranties.

USA

CALIFORNIA

23215 Early Avenue Torrance, CA 90505 USA Tel: 310.326.4700 800.473.5422 Fax: 310.326.3311 www.pelican.com

MASSACHUSETTS 147 North Main Street South Deerfield, MA 01373 Tel: 800.542.7344 Fax: 413.665.8330 www.pelican.com

INDIANA 3802 N 600 W # B Greenfield, IN 46140-9642 Tel: 317.866.2040 www.pelican.com

INTERNATIONAL

EUROPE, MIDDLE EAST, & AFRICA

Peli Products, S.L.U. c/ Provenca, 388, Planta 7 08025 · Barcelona, Spain Tel: +34 934 674 999 Fax: +34 934 877 393 www.peli.com

CANADA

Pelican Products, Inc. 10221-184th Street Edmonton, Alberta T5S 2J4 Canada Tel: 780.481.6076 Fax: 780.481.9586 www.pelican.ca

CHINA Pelican Products China Representative Office Pine City Building, Room 1026 777 Zhaojiabang Road Shanghai, China 200032 Tel +86.21.64189685 Fax +86.21.64189679 www.pelican.com/cn

AUSTRALIA

Pelican Products Pty Ltd Suite 2.33, Platinum West 4 Ilya Avenue, Erina NSW 2250 Australia Ph: +612 4367 7022 Fax: +612 4367 7066 www.pelicanaustralia.com

JAPAN

Pelican Products K.K. Nisso 22 Bldg 9F 1-11-10 Azabu Dai Minato ward Tokyo 106-0041 Japan Tel +81 33 585 9100 Fax +81 33 585 9109 www.pelican.com/jp

KOREA

Pelican Products Korea Ltd #909 Hyundai 41 Tower, 917-9, Mok-dong, Yangchon-gu, Seoul, Korea Tel: +82 2 6092 4700 Fax: +82 2 6792 4700 www.pelican.com/ko

INDIA

Pelican Products and Services India Pvt. Ltd Level "4", Augusta Point, Sector-53, Golf Course Road, Gurgaon 122002 Haryana, India Tel: +91 124 4354148 Fax: +91 124 4354001 www.pelican.com

DISTRIBUTED BY:



©2011 Pelican Products, Inc. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates. iPhone[®] and iPod are registered trademarks of Apple Inc. VELCRO[®] is a registered trademark of Velcro Industries B.V. BlackBerry® is a registered trademark of Research In Motion Limited T-Mobile[®] is a registered trademark of Deutsche Telekom AG CORPORATION Motorola is a registered trademark of Motorola, Inc. Nokia is a registered trademark of Nokia Corporation



